Telephone: +49-2324-97980



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# RemoCoat SG

Revision date: 08.04.2020 Product code: 091614-RM25 Page 1 of 7

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

RemoCoat SG

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

The product is intended for professional use. Coatings and paints, thinners, paint removers

# 1.3. Details of the supplier of the safety data sheet

Company name: kolb Cleaning Technology GmbH

Street: Karl-Arnold-Str. 12
Place: D-47877 Willich
Telephone: +49-2154-947938

Telephone: +49-2154-947938 Telefax: +49-2154-947947 e-mail: info@kolb-ct.com

Contact person: Herr Linker e-mail: christian.linker@kolb-ct.com

Internet: www.kolb-ct.com

Responsible Department: Labor/ QS

 1.4. Emergency telephone
 +49/ (0) 23 24/ 979817 (EU)

 number:
 +61 4 19 809 805 (Australia)

+1 970 443 9233 (USA)

Schweiz: 145

#### **Further Information**

Australia: USA:

kolb Cleaning Technology AP PTY LTD kolb USA LLC
6/150 Canterbury Road 410 Sunset, Unit C
NSW 2200 Bankstown 80501 Longmont – CO

### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### Regulation (EC) No. 1272/2008

Hazard categories:

Acute toxicity: Acute Tox. 4
Acute toxicity: Acute Tox. 4

Serious eye damage/eye irritation: Eye Irrit. 2

Hazard Statements:

Harmful in contact with skin.

Harmful if inhaled.

Causes serious eye irritation.

# 2.2. Label elements

# Regulation (EC) No. 1272/2008

## Hazard components for labelling

benzyl alcohol

Signal word: Warning

Pictograms:



## **Hazard statements**

H302+H332 Harmful if swallowed or if inhaled.



according to Regulation (EC) No 1907/2006

# RemoCoat SG

Revision date: 08.04.2020 Product code: 091614-RM25 Page 2 of 7

H319 Causes serious eye irritation.

# **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P309+P311 IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.
P501 Dispose of contents/container to an appropriate recycling or disposal facility.

### Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

Pictograms:



### 2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

**Chemical characterization** 

## **Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
100-51-6	benzyl alcohol			> 80 %
	202-859-9	603-057-00-5		
	Acute Tox. 4, Acute Tox. 4; H332 H302			

Full text of H and EUH statements: see section 16.

## **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

## After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

## After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

### After ingestion

Rinse mouth immediately and drink plenty of water. Medical treatment necessary.

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

# $\underline{\textbf{4.3. Indication of any immediate medical attention and special treatment needed}}$

Treat symptomatically.

### **SECTION 5: Firefighting measures**



according to Regulation (EC) No 1907/2006

#### RemoCoat SG

Revision date: 08.04.2020 Product code: 091614-RM25 Page 3 of 7

### 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### 5.2. Special hazards arising from the substance or mixture

Non-flammable.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.

Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

## Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

## Advice on protection against fire and explosion

No special fire protection measures are necessary.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed.

### Hints on joint storage

No special measures are necessary.

### 7.3. Specific end use(s)

The product is intended for professional use. Coatings and paints, thinners, paint removers

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## 8.2. Exposure controls

## Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.



according to Regulation (EC) No 1907/2006

# RemoCoat SG

Revision date: 08.04.2020 Product code: 091614-RM25 Page 4 of 7

### Eye/face protection

Wear eye protection/face protection.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

## Skin protection

Wear suitable protective clothing.

## Respiratory protection

In case of inadequate ventilation wear respiratory protection.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: colourless

# Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Flash point:

not determined

not determined

> 100 °C

Flammability

Solid: not applicable
Gas: not applicable
Lower explosion limits: not determined
Upper explosion limits: not determined

**Auto-ignition temperature** 

Solid: not applicable
Gas: not applicable

Decomposition temperature: not determined

**Oxidizing properties** 

Not oxidising.

Vapour pressure: not determined

Density (at 20 °C): 0,95 g/cm³

Water solubility: Immiscible

Solubility in other solvents

not determined

Partition coefficient: not determined

Viscosity / kinematic: > 21 mm²/s

(at 40 °C)

Vapour density: not determined Evaporation rate: not determined

9.2. Other information

Solid content: not determined

## **SECTION 10: Stability and reactivity**



according to Regulation (EC) No 1907/2006

# RemoCoat SG

Revision date: 08.04.2020 Product code: 091614-RM25 Page 5 of 7

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

none

### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

#### **Acute toxicity**

Harmful if swallowed or if inhaled.

### **ATEmix calculated**

ATE (oral) 1230,0 mg/kg; ATE (inhalation vapour) 11,00 mg/l; ATE (inhalation aerosol) 1,500 mg/l

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
100-51-6	benzyl alcohol					
	oral	LD50 mg/kg	1230	Rat	GESTIS	
	inhalation vapour	ATE	11 mg/l			
	inhalation aerosol	ATE	1,5 mg/l			

### Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

# Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

## **Aspiration hazard**

Based on available data, the classification criteria are not met.

# Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## **SECTION 12: Ecological information**

## 12.1. Toxicity

The product is not: Ecotoxic.

### 12.2. Persistence and degradability



according to Regulation (EC) No 1907/2006

### RemoCoat SG

Revision date: 08.04.2020 Product code: 091614-RM25 Page 6 of 7

The product has not been tested.

## 12.3. Bioaccumulative potential

The product has not been tested.

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
100-51-6	benzyl alcohol	1,05

## 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The product has not been tested.

### 12.6. Other adverse effects

No information available.

#### **Further information**

Avoid release to the environment.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

## Waste disposal number of waste from residues/unused products

070701

WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fine chemicals and chemical products not otherwise specified; aqueous washing liquids and mother liquors;

hazardous waste

#### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

## **SECTION 14: Transport information**

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

## Inland waterways transport (ADN)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

# Marine transport (IMDG)

,	
14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

## Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.





according to Regulation (EC) No 1907/2006

### RemoCoat SG

Revision date: 08.04.2020 Product code: 091614-RM25 Page 7 of 7

**14.4. Packing group:** No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No information available.

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

2004/42/EC (VOC): 100 % (950 g/l)

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

#### Additional information

Regulation (EC) No. 648/2004 (Detergents regulation). To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

### **National regulatory information**

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D): 1 - slightly water contaminating

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

## Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

#### Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.

H302+H332 Harmful if swallowed or if inhaled.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.

### **Further Information**

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singulary responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)